Computer Methods in Applied Mechanics and Engineering 112 (1994) 333–334
North-Holland

Author index of Volume 112*

Akay, H.U., see Ecer, A. (1–4) 91–108

Behr, M. and T.E. Tezduyar, Finite element solution strategies for large-scale flow simulations (1–4) 3– 24
Brandon, S., see Derby, J.J. (1–4) 69– 89

Chalot, F. and T.J.R. Hughes, A consistent equilibrium chemistry algorithm for hypersonic flows (1–4) 25– 40
Chang, W. and N. Kikuchi, An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process (1–4) 41– 68

Derby, J.J., S. Brandon, A.G. Salinger and Q. Xiao, Large-scale numerical analysis of materials processing systems: High-temperature crystal growth and molten glass flows (1–4) 69– 89

Ecer, A., H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall, Parallel computation of fluid dynamics problems (1–4) 91–108
Ercoskun, D., see Ecer, A. (1–4) 91–108

Fujima, S., M. Tabata and Y. Fukasawa, Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points (1–4) 109–131
Fukasawa, Y., see Fujima, S. (1–4) 109–131

Glowinski, R., T.-W. Pan and J. Periaux, A fictitious domain method for external incompressible viscous flow modeled by Navier–Stokes equations (1–4) 133–148

Hall, E.J., see Ecer, A. (1–4) 91–108
Hughes, T.J.R., see Chalot, F. (1–4) 25– 40

Ikegawa, M., M. Kaiho and C. Kato, FEM/FDM composite scheme for viscous incompressible flow analysis (1–4) 149–163

Kaiho, M., see Ikegawa, M. (1–4) 149–163
Kaneko, N., T. Kodama and M. Kawahara, Estimation of eddy viscosity coefficient in a periodic shallow water equation (1–4) 165–183
Kashiyama, K. and M. Sakuraba, Adaptive boundary-type finite element method for wave diffraction-refraction in harbors (1–4) 185–197
Kato, C., see Ikegawa, M. (1–4) 149–163
Kawahara, M. and Y. Shimada, A predictive control method to operate the water gate of a dam (1–4) 199–218
Kawahara, M., see Kaneko, N. (1–4) 165–183

* The issue number is given in front of the page numbers.

Kawamoto, S. and T. Tanahashi, High-speed GSMAC-FEM for wind engineering (1–4) 219–226
Kemle, W.B., see Ecer, A. (1–4) 91–108
Kikuchi, N., see Chang, W. (1–4) 41– 68
Kodama, T., see Kaneko, N. (1–4) 165–183
Kondo, N., Third-order upwind finite element solutions of high Reynolds number flows (1–4) 227–251

Mittal, S. and T.E. Tezduyar, Massively parallel finite element computation of incompressible flows involving fluid–body interactions (1–4) 253–282
Mizukami, A., Element-by-element penalty/Uzawa formulation for large scale flow problems (1–4) 283–289

Nomura, T., ALE finite element computations of fluid–structure interaction problems (1–4) 291–308

Oden, J.T., Optimal *h-p* finite element methods (1–4) 309–331

Pan, T.-W., see Glowinski, R. (1–4) 133–148
Periaux, J., see Glowinski, R. (1–4) 133–148

Sakuraba, M., see Kashiyama, K. (1–4) 185–197
Salinger, A.G., see Derby, J.J. (1–4) 69– 89
Shimada, Y., see Kawahara, M. (1–4) 199–218

Tabata, M., see Fujima, S. (1–4) 109–131
Tanahashi, T., see Kawamoto, S. (1–4) 219–226
Tezduyar, T.E., see Behr, M. (1–4) 3– 24
Tezduyar, T.E., see Mittal, S. (1–4) 253–282

Wang, H., see Ecer, A. (1–4) 91–108

Xiao, Q., see Derby, J.J. (1–4) 69– 89

Computer Methods in Applied Mechanics and Engineering 112 (1994) 335–338
North-Holland

Subject index of Volume 112*

Calculus of variations
Optimal *h-p* finite element methods, J.T. Oden (1–4) 309–331

Control theory
A predictive control method to operate the water gate of a dam, M. Kawahara and Y. Shimada (1–4) 199–218

Coupled problems
Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1–4) 253–282
ALE finite element computations of fluid–structure interaction problems, T. Nomura (1–4) 291–308

Finite difference methods
FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1–4) 149–163

Finite element and matrix methods
Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1–4) 3– 24
A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot and T.J.R. Hughes (1–4) 25– 40
An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process, W. Chang and N. Kikuchi (1–4) 41– 68
Large-scale numerical analysis of materials processing systems: High-temperature crystal growth and molten glass flows, J.J. Derby, S. Brandon, A.G. Salinger and Q. Xiao (1–4) 69– 89
Parallel computation of fluid dynamics problems, A. Ecer, H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall (1–4) 91–108
Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points, S. Fujima, M. Tabata and Y. Fukasawa (1–4) 109–131
A fictitious domain method for external incompressible viscous flow modeled by Navier–Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1–4) 133–148
FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1–4) 149–163
Estimation of eddy viscosity coefficient in a periodic shallow water equation, N. Kaneko, T. Kodama and M. Kawahara (1–4) 165–183
Adaptive boundary-type finite element method for wave diffraction-refraction in harbors, K. Kashiyama and M. Sakuraba (1–4) 185–197
A predictive control method to operate the water gate of a dam, M. Kawahara and Y. Shimada (1–4) 199–218
High-speed GSMAC-FEM for wind engineering, S. Kawamoto and T. Tanahashi (1–4) 219–226

* The issue number is given in front of the page numbers.

Third-order upwind finite element solutions of high Reynolds number flows, N. Kondo (1–4) 227–251
Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1–4) 253–282
Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1–4) 283–289
ALE finite element computations of fluid–structure interaction problems, T. Nomura (1–4) 291–308
Optimal *h-p* finite element methods, J.T. Oden (1–4) 309–331

Fluid mechanics

Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1–4) 3– 24
A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot and T.J.R. Hughes (1–4) 25– 40
An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process, W. Chang and N. Kikuchi (1–4) 41– 68
Large-scale numerical analysis of materials processing systems: High-temperature crystal growth and molten glass flows, J.J. Derby, S. Brandon, A.G. Salinger and Q. Xiao (1–4) 69– 89
Parallel computation of fluid dynamics problems, A. Ecer, H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall (1–4) 91–108
Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points, S. Fujima, M. Tabata and Y. Fukasawa (1–4) 109–131
A fictitious domain method for external incompressible viscous flow modeled by Navier–Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1–4) 133–148
FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1–4) 149–163
Estimation of eddy viscosity coefficient in a periodic shallow water equation, N. Kaneko, T. Kodama and M. Kawahara (1–4) 165–183
Adaptive boundary-type finite element method for wave diffraction-refraction in harbors, K. Kashiyama and M. Sakuraba (1–4) 185–197
A predictive control method to operate the water gate of a dam, M. Kawahara and Y. Shimada (1–4) 199–218
High-speed GSMAC-FEM for wind engineering, S. Kawamoto and T. Tanahashi (1–4) 219–226
Third-order upwind finite element solutions of high Reynolds number flows, N. Kondo (1–4) 227–251
Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1–4) 253–282
Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1–4) 283–289
ALE finite element computations of fluid–structure interaction problems, T. Nomura (1–4) 291–308
Optimal *h-p* finite element methods, J.T. Oden (1–4) 309–331

Gas dynamics

A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot and T.J.R. Hughes (1–4) 25– 40

Incompressible and near incompressible media
Extension to three-dimensional problems of the upwind finite element scheme based on the choice of up- and downwind points, S. Fujima, M. Tabata and Y. Fukasawa (1–4) 109–131
FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1–4) 149–163
Third-order upwind finite element solutions of high Reynolds number flows, N. Kondo (1–4) 227–251
Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1–4) 253–282
Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1–4) 283–289
ALE finite element computations of fluid–structure interaction problems, T. Nomura (1–4) 291–308

Modern computer architecture
Parallel computation of fluid dynamics problems, A. Ecer, H.U. Akay, W.B. Kemle, H. Wang, D. Ercoskun and E.J. Hall (1–4) 91–108
Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1–4) 253–282

Numerical solution procedures
A fictitious domain method for external incompressible viscous flow modeled by Navier–Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1–4) 133–148
Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1–4) 283–289
Optimal *h-p* finite element methods, J.T. Oden (1–4) 309–331

Problems in physics
A consistent equilibrium chemistry algorithm for hypersonic flows, F. Chalot and T.J.R. Hughes (1–4) 25– 40
An adaptive remeshing method in the simulation of Resin Transfer Molding (RTM) process, W. Chang and N. Kikuchi (1–4) 41– 68
Large-scale numerical analysis of materials processing systems: High-temperature crystal growth and molten glass flows, J.J. Derby, S. Brandon, A.G. Salinger and Q. Xiao (1–4) 69– 89

Subsonic flow
Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1–4) 3– 24
High-speed GSMAC-FEM for wind engineering, S. Kawamoto and T. Tanahashi (1–4) 219–226

Supersonic flow
Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1–4) 3– 24

Transonic flow
Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1–4) 3– 24

Transport phenomena
Estimation of eddy viscosity coefficient in a periodic shallow water equation, N. Kaneko, T. Kodama and M. Kawahara (1–4) 165–183
High-speed GSMAC-FEM for wind engineering, S. Kawamoto and T. Tanahashi (1–4) 219–226

Turbulence
Estimation of eddy viscosity coefficient in a periodic shallow water equation, N. Kaneko, T. Kodama and M. Kawahara (1–4) 165–183

Viscoelastic and viscoplastic media
Large-scale numerical analysis of materials processing systems: High-temperature crystal growth and molten glass flows, J.J. Derby, S. Brandon, A.G. Salinger and Q. Xiao (1–4) 69– 89

Viscous flow
Finite element solution strategies for large-scale flow simulations, M. Behr and T.E. Tezduyar (1–4) 3– 24
A fictitious domain method for external incompressible viscous flow modeled by Navier–Stokes equations, R. Glowinski, T.-W. Pan and J. Periaux (1–4) 133–148
FEM/FDM composite scheme for viscous incompressible flow analysis, M. Ikegawa, M. Kaiho and C. Kato (1–4) 149–163
Third-order upwind finite element solutions of high Reynolds number flows, N. Kondo (1–4) 227–251
Massively parallel finite element computation of incompressible flows involving fluid–body interactions, S. Mittal and T.E. Tezduyar (1–4) 253–282
Element-by-element penalty/Uzawa formulation for large scale flow problems, A. Mizukami (1–4) 283–289
ALE finite element computations of fluid–structure interaction problems, T. Nomura (1–4) 291–308

Wave motion
Adaptive boundary-type finite element method for wave diffraction-refraction in harbors, K. Kashiyama and M. Sakuraba (1–4) 185–197